

Docket No. 020334

Serial No. 10/663,405

LISTING OF CLAIMS:

1. (Previously Presented) A method for providing a hazardous material alert for use with a vehicle that is transporting hazardous material, the method comprising the steps of:
detecting a hazard event; and

transmitting the hazardous material alert in response to the hazard event, wherein the hazardous material alert includes information relating to the hazardous material and wherein transmitting the hazardous material alert includes sending a transmission from the vehicle that can be directly received by emergency personnel responding to the hazard event.

2. (Original) The method of claim 1, wherein the hazard event is detected from a condition of the vehicle.

3. (Original) The method of claim 1, wherein the hazard event is detected from an input received from a vehicle operator.

4. (Original) The method of claim 1, wherein the hazard event is detected from a message received from a remote location.

5. (Original) The method of claim 1, wherein the hazardous material alert has a range of less than 1000 feet from the vehicle.

6. (Original) The method of claim 1, wherein the step of transmitting further comprises a step of transmitting the hazardous material alert using one or more transmitters selected from AM, FM, CB and Police band transmitters.

7. (Original) The method of claim 1, further comprising a step of activating one or more vehicle systems in response to the hazard event.

8. (Currently Amended) The method of claim 1, further comprising a step of ~~adjusting a transmission power of the hazardous material alert based on~~ activating one or more vehicle systems in response to the hazard event.

Docket No. 020334**Serial No. 10/663,405**

9. (Previously Presented) Apparatus for providing a hazardous material alert for use with a vehicle that is transporting hazardous material, the apparatus comprising:

means for detecting a hazard event; and

means for transmitting the hazardous material alert in response to the hazard event, wherein the hazardous material alert includes information relating to the hazardous material and wherein transmitting the hazardous material alert includes sending a transmission from the vehicle that can be directly received by emergency personnel responding to the hazard event.

10. (Original) The apparatus of claim 9, wherein the means for detecting the hazard event comprises means for detecting the hazard event from a condition of the vehicle.

11. (Original) The apparatus of claim 9, wherein the means for detecting the hazard event comprises means for detecting the hazard event from a message received from an operator input.

12. (Original) The apparatus of claim 9, wherein the means for detecting the hazard event comprises means for detecting the hazard event from a message received from a central station.

13. (Previously Presented) Apparatus for providing a hazardous material alert for use with a vehicle that is transporting hazardous material, the apparatus comprising:

detection logic for receiving an indication that a hazard event has occurred; and

transmission logic coupled to the detection logic, the transmission logic operating to initiate a transmission of hazardous material alert in response to the hazard event, wherein the hazardous material alert includes information relating to the hazardous material and wherein the transmission includes a transmission from the vehicle that can be directly received by emergency personnel responding to the hazard event.

Docket No. 020334**Serial No. 10/663,405**

14. (Original) The apparatus of claim 13, wherein the detection logic comprises input logic to receive an operator input, and wherein the hazard event is detected from the operator input.

15. (Original) The apparatus of claim 13, wherein the detection logic comprises input logic to receive vehicle sensor input, and wherein the hazard event is detected from the vehicle sensor input.

16. (Original) The apparatus of claim 13, wherein the detection logic comprises input logic to receive a message from a central station, and wherein the hazard event is detected from the message from the central station.

17. (Currently Amended) A computer-readable medium comprising instruction for execution by a hazard detection system that is used with a vehicle transporting hazardous material, the instructions, when executed by the hazardous detection system, cause a hazardous material alert to be transmitted, the computer-readable media comprising:
instructions for detecting a hazard event; and
instructions for transmitting the hazardous material alert in response to the hazard event, wherein the hazardous material alert includes information relating to the hazardous material ~~material~~ and wherein transmitting the hazardous material alert includes sending a transmission from the vehicle that can be directly received by emergency personnel responding to the hazard event.

18. (Previously Presented) The method of claim 1 further comprising the step of:
receiving a reply transmission from a remote location, wherein the reply transmission is in response to the transmitted hazardous material alert.

19. (Previously Presented) The apparatus of claim 9 further comprising:
means for receiving a reply transmission from a remote location, wherein the reply transmission is in response to the transmitted hazardous material alert.

20. (Previously Presented) The apparatus of claim 13 further comprising:

Docket No. 020334**Serial No. 10/663,405**

a receiver adapted to receive a reply transmission from a remote location, wherein the reply is in response to the transmitted hazardous material alert.